EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	331	dient near5 (request\$5 near5 (filename (file adj1 name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:19
12	38	I1 and ((hash\$5 encrypt \$5) near5 (filename (file adj1 name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:20
L3	2	"6643773".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:32
L4	7260	multicast and (packet near7 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:34
L5	9	multicast and (packet near7 (header with (hash \$5 near5 (id identification))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:36
L6	2	(request\$5 near5 (message file document)) and (packet near7 (header with (hash\$5 near5 (id identification))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:39
L7	14	(request\$5 near5 (message file document)) with (hash\$5 near5 ((file message document) adj1 (id identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:40
L8	14	7 not 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:40
L9	5	(request\$5 near5 (hash\$5 near5 ((file message document) adj1 (id identification)))) and ((send \$5 transfer\$5) near5 (file message document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:44

L10	0	(retreiv\$5 near5 (file document message)) with (hash\$5 near5 (id identification filename name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:59
L11	58	(retriev\$5 near5 (file document message)) with (hash\$5 near5 (id dentification filename name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:59
L12	6	((retriev\$5 and send\$5) near5 (file document message)) with (hash\$5 near5 (id identification filename name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:00
L13	139	(request\$5 near5 (file document message)) with (hash\$5 near5 (id identification filename name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:04
L14	28	i13 and (nonce (random adj1 (number string)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:05
L15	111	113 NOT I14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:47
L16	10	l15 and (shar\$5 near5 (key secret value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:48
L17	177	(request\$5 near5 (file document message)) with ((hash\$5 digest checksum) near5 (id identification filename name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:52
L18	11	i17 and (nonce (random adj1 (number string value))) and (shar\$5 adj1 (key secret value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:54
L19	326	(filename ((file document message) adj1 (name id identification)))and (nonce (random adj1 (number string value))) and (shar\$5 adj1 (key secret value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:01

L20	13	i19 and (hash\$5 near5 (filename ((file document message) adj1 (name id identification))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:02
L21	241	(filename ((file document message) adj i (name id identification)))and (nonce (random adj i (number string value))) and (shar\$5 adj i (key secret value)) and (nash digest checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 14:07
L22	74	i21 and (prevent\$5 near5 replay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 14:15
L23	2	"20060090200"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 14:47
L24	2	"20050204142"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 14:48
L25	6		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 14:50
L26	O	((send\$5 transfer\$5) near5 (hash\$5 with (filename ((file document message transaction) near5 (id identification name identifier)))) and (prevent \$5 near5 replay) and (minim\$5 near5 overhead)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 14:58
L27	1	((send\$5 transfer\$5) with (hash\$5 near\$ (filename ((file document message transaction) near\$ (id identification name identifier))))) and (prevent \$5 near\$ replay) and (minim\$5 near\$ overhead)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 14:58

L28	48	((send\$5 transfer\$5) with (hash\$5 near5 (filename (file document message transaction) near5 (id identification name identifier))))) and (nonce "random number")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:08
L29	47	28 not 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:09
L30	61	(request\$5 near5 (file document message)) with ((hash\$5 digest checksum) near5 ((file document message) adj t (id identification filename name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:20
L31	61	(request\$5 near5 (file document message)) with ((hash\$5 digest checksum fingerprint) near5 ((file document message) adj1 (id identification filename name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:21
L32	2	"20060071920"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:28
L37	1	request\$5 near5 (filename and nonce and ((hash\$5 digest checksum) near4 (filename ((file document message) adj1 (name id identification identifier)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 16:04
L38	0	request\$5 near5 (filename and (random adj1 (number string)) and ((hash\$5 digest checksum) near4 (filename ((file document message) adj1 (name id identification identifier)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 16:05
L39	0	request\$5 near5 ((filename ((file document message) adj (name id identification identifier))) and (random adj (number string)) and ((hash\$5 digest checksum) near4 (filename ((file document message) adj (name id identification identifier)))))	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/11/06 16:06

L40	1	irequest§5 near5 ((fliename (flie document message) adj1 (name id identification identifier)) and (nonce (random adj1 (number string))) and ((hash§5 digest checksum) near4 (fliename (fille document message) adj1 (name id identification identifier)))))	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/11/06 16:06
L41	3	(request\$5 order\$5 quer \$5) near5 ((fliename ((flie document message) adj1 (name id identification identifier)))and (nonce (random adj1 (number string))) and (ifash\$5 digest checksum) near4 (fliename ((flie document message) adj1 (name id identification identifier))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 16:07
S1	3	filename and nonce and (hash\$5 near5 (filename))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:58
S2	2	filename and nonce and (hash\$5 near5 (filename and (secret key))) and ((transfer\$5 send\$5) near5 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:22
S3	2	filename and nonce and (hash\$5 near5 (filename and (secret keyj)) and server and client and ((transfer\$5 send\$5) near5 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:27
S4	4	("5497421" "5666415"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:33
S5	2	filename and nonce and (hash\$5 near5 (filename and (secret key))) and ((transfer\$5 send\$5) near5 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 11:07

S6	5	(filename file-name (file ad)1 (name id identification))) and nonce and (hash\$5 near5 ((filename file-name (file ad)1 (name id identification))) and (secret key))) and ((transfer\$5 send\$5) near5 file)	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/10/27 11:09
S7	3	S6 not S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 11:09
S8	4	(filename file-name (file adj1 (name id identification))) and nonce and (hash\$5 near5 (filename file-name (file adj1 (name id identification))) and (sacret key))) and ((transfer\$5 send\$5) near5 file) and authenticity	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/10/27 11:12
S9	26	(hash\$5 near5 ((filename file-name (file adj t (name id dentification))) and (secret key))) and ((transfer\$5 send\$5) near5 file) and (nonce "random number")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 12:18
S10	49	((hash\$5 near5 (filename file-name (file adj1 (name id identification)))) and ((transfer\$5 send\$5) near5 file) and (nonce "random number")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 13:06
S11	23	S10 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 13:07
S12	0	S11 and (prevent\$5 near5 replay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 13:13
S13	15232	((request\$5 and transfer \$5) near5 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:23

S14	3542	\$13 and (shar\$5 near5 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:25
S15	474	S13 and (shar\$5 near5 (file and (key value)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:26
S16	420	S15 and group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:27
S17	2	S16 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:28
S18	2	S15 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:28
S19	11	S14 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:28
S20	12592	server and client and (shar \$5 near5 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:30
S21	14	S10 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:33
S22	9	\$21 not \$19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:33
S23	3	(hash\$5 near5 (filename file-name (file adj1 (name di dentification))) and ((transfer\$5 send\$5) near5 file) and (nonce "random number") and ((client receiver) near5 (compar\$5 near5 hash))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:36

S24	3	(hash\$5 with (filename file- name (file adj1 (name id identification)))) and ((transfer\$5 send\$5) near5 file) and (nonce "random number") and ((client receiver) near5 (compar\$5 near5 hash))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:40
S25	39	(hash\$5 with (filename filename (file adjr (name id identification)))) and ((transfer\$5 send\$5) near5 file) and (nonce "random number") and (compar\$5 near5 hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 14:40
S26	2	(hash\$5 with (filename file- name (file adj¹ (name id identification)))) and ((transfer\$5 send\$5) near5 file) and (nonce *random number*) and (packet with (filename filename (file adj¹ (name id identification))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 11:34
\$27	0	(hash\$5 with (filename file- name (file adj i (name id identification)))) and ((transfer\$5 send\$5) near5 packet) and (nonce "random number") and (packet with (filename file- name (file adj i (name id identification))))	US-POPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 11:36
S28	0	((hash\$5 digest\$3) with (filename file-name (file adg] (name lid adg] (name file adg] (name lid adg) (name id identification))))	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/10/28 11:39
S29	2	((hash\$5 digest\$3) with (filename file-name (file adj1 (name id identification)))) and (nonce "random number") and (packet with (filename file-name (file adj1 (name id identification))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 11:40

S30	0	\$29 not \$26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 11:40
S31	5	((hash\$5 digest\$3) with ((fliename file-name (file adj1 (name id identification)))) and ((send \$5 transfer\$5 transmit\$5) with (packet with (fliename file-name (file adj1 (name id identification)))))	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/10/28 11:41
S32	4	S31 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 11:41
S33	T	((hash\$5 digest\$3) with (filename file-name (file adj (name id identification)))) and (((send\$5 transfer\$5 transmit\$5) with (filename file-name (file adj (name id identification)))) same (group near\$ (member client user)))	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/10/28 11:48
S34	5	((hash\$5 digest\$3) with (filename file-name (file adj1 (name id identification)))) and (((send\$5 transfer\$5 transmit\$5) with (hash\$5 digest\$5)) same (group near\$ (member client user)))	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:03
S35	0	(file near4 shar\$5) with ((send\$5 transfer\$5 transmit\$5) with ((hash\$5 digest\$5) with (packet near5 (filename file-name (file adj 1 (name id identification))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:23
S36	0	((document file) near4 shar \$5) with ((send\$5 transfer \$5 transmit\$5) with ((hash \$5 digest\$5) with (packet near5 (filename file-name (file adj1 (name id identification))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:23

S37	1	((send\$5 transfer\$5 transmit\$5) with ((hash\$5 digest\$5) with (packet near5 (filename file-name (file adj1 (name id identification))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:24
S38	3155	((send\$5 transfer\$5 transmit\$5) with ((hash\$5 digest\$5) near5 (file document message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:26
S39	190	((send\$5 transfer\$5 transmit\$5) with ((hash\$5 digest\$5) near5 ((file document message) near5 (name id identification))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:27
S40	57	((send\$5 transfer\$5 transmit\$5) with ((hash\$5 digest\$5) near5 ((file document message) near5 (name id identification)))) and (group near5 (member client user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:27
S41	23	((send\$5 transfer\$5 transmit\$5) with ((hash\$5 digest\$5 signature manifest) near5 ((fille document message) near5 (name id identification)))) and (group near5 (member client user)) and ((comput\$5 calculat\$5) with ((hash\$5 digest\$5 signature manifest) near5 ((file document message) near5 (name id identification))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 07:42
S42	9	S41 and (add\$5 append\$5 concatinat\$5) and (hash adj1 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 07:48
S43	2	S41 and (append\$5 concatinat\$5) and (hash adj1 function) and (shar\$5 near4 (secret key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/10/29 07:54

S44	1	((send\$5 transfer\$5 transmit\$5) with ((hash\$5 digest\$5 signature manifest) near5 ((file document message) near5 (name id identification)))) and (group near5 (member client user)) and ((comput\$5 calculat\$5) with ((hash\$5 digest\$5 signature manifest) near5 ((file document message) near5 (name id identification)))) and ((send \$5 transfer\$5 transmit\$5) near5 ((clear plain-text) near5 ((clear plain-text) near5 (message document file)))	US-PAT-BE USPAT; EPO; JPO; DETWENT; IBM_TDB	OR	ON	2008/10/29 08:14
S45	116067	(request\$5 near5 (file document message)) and ((send\$5 transfer\$5 transmit\$5) near5 (file document message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 08:16
S46	430	\$45 and ((comput\$5 calculat\$5 hash\$5) with ((digest tag signature hash manifest checksum) near5 (filename file-name (file adj1 (name id identification)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 08:18
S47	3	S46 and (shared near4 (key secret)) and (nonce and (random near2 (number string)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 08:19
S48	3	S46 and (shared near4 (key secret)) and (nonce (random near2 (number string)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 08:19
S49	13	S46 and ((symmetric shared) near4 (key secret)) and (nonce (random near2 (number string)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 08:19

S50	1	S45 and ((comput\$5 calculat\$5 hash\$5) with ((digest tag signature hash manifest checksum) near5 (filename file-name (file adj1 (name id identification))))) and ((send\$5 transfiet\$5 transmit\$5) near5 ((dear plain-text "plain text") near5 (file document file)))	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/10/29 08:30
S51	4	S46 and ((dient and server) near5 (share\$5 near5 (secret key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 08:31
S52	4	("5497421" "5666415"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 09:04
S53	770	((comput\$5 calculat\$5 hash \$5) with ((digest tag signature hash manifest checksum) near5 (filename file-name (file adj1 (name id identification)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 09:25
S54	37383	(request\$5 near5 (file document)) and ((send\$5 transfer\$5 transmit\$5) near5 (file document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 09:26
S55	394	SS4 and ((comput\$5 calculat\$5 hash\$5) with ((digest tag signature hash manifest checksum) near5 (filename file-name (file adj1 (name id identification)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 09:26
S56	409	S\$4 and ((((comput\$5 calculat\$5) with ((digest tag signature hash manifest checksum)) hash \$5) near5 (filename filename (file adj1 (name id identification)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 09:27
S57	19	S56 and ((shar\$5 symmetric) near4 (key secret value)) and (nonce (random near2 (number string)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 09:28

S58	101	\$56 and (request\$5 near5 (file adj1 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 09:35
S59	76	S58 and (group near5 (member client user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 09:37
S60	4	S58 and ((group near5 (member client user)) with (shar\$5 near5 (key secret vlaue)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 09:37
S61	14	SS4 and ((((comput\$5 calculat\$5) with ((digest tag signature hash manifest checksum)) hash \$5) near5 ((filename filename (file adj 1 (name id identification))) and ((shared secret) near4 (value key)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 09:42
S62	10	S61 not S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 09:43
S63	5	S56 and (prevent\$5 near5 replay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:17
S64	345	(transfer\$5 near5 file) and (ensur\$5 near5 authenticity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:23
S65	2	\$64 and ((((comput\$5 calculat\$5) with ((digest tag signature hash manifest checksum)) hash \$5) near5 (filename filename (file adj1 (name id identification)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29
S66	20	(transfer\$5 near5 file) and ((ensur\$5 near5 authenticity) with (sender transmitter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/10/29 10:25

S67	1	S56 and NOB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:38
S68	1	S56 and "NODE CONTROL BOARD"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:38
S69	9	S56 and "boot process"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:39
S70	8	S69 not S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:39
S71	3512	((request\$5 near5 (file near3 transfer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:41
S72	51	S71 and ((((comput\$5 calculat\$5) with ((digest tag signature hash manifest checksum)) hash \$5) near5 (filename filename (file adj1 (name id identification)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:42
S73	10771	\$72 and (video adj1 conferenc\$5) teleconferenc \$5 multiconferenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:47
S74	0	\$72 and ((video adj1 conferenc\$5) teleconferenc \$5 multiconferenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:47
S75	122	\$71 and ((video adj1 conferenc\$5) teleconferenc \$5 multiconferenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:48
S76	82	S75 and client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:48

S77	4	S75 and (dient near5 (request\$5 near5 file)) and (server near6 ((send\$5 transmit\$5) near5 file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:52
S78	43	((send\$5 transfer\$5 transmit\$5) with ((hash\$5 transmit\$5) with ((hash\$5 encrypt\$5 sign\$5) near\$ ((file document message) near\$ (name id identification)))) and (group near\$ (member client user)) and ((comput \$5 calculat\$5) with ((hash\$5 encrypt\$5 sign\$5) near\$ ((file document message) near\$ (name id identification))))	US-PGPUB; USPAT; EPO; JPO; DEFIWENT; IBM_TDB	OR	ON	2008/10/29 12:13
S79	14	((send\$5 transfer\$5 transmit\$5) with ((lash\$5 transmit\$5) with ((lash\$5 encrypt\$5 sign\$5) near5 ((file document message) ad] 1 (name id identification)))) and (group near5 (member client user)) and ((comput \$5 calculat\$5) with ((hash\$5 encrypt\$5 sign\$5) near5 ((file document message) near5 (name id identification))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 12:13
S80	11	((send\$5 transfer\$5 transmit\$5) with ((hash\$5 encrypt\$5 sign\$5) near5 ((file document message) adj 1 (name id identification)))) and (group near5 (member client userf)) and ((comput \$5 calculat\$5) with ((hash \$5 encrypt\$5 sign\$5 digest manifest) near5 ((file document message) adj 1 (name id identification))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 12:14
S81	46	((send\$5 transfer\$5 transmit\$5) with ((hash\$5 encrypt\$5) near5 ((file document message) adj 1 (name id identification)))) and (group near5 (member dient user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 12:16

S82	39	S81 not S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 12:17
S83	9	(filename file-name (file document) adj1 (name id identification))) and nonce and (hash\$5 near5 ((filename file-name (file document) adj1 (name id identification))) and (secret key))) and ((transfer\$6 send\$5) near5 (file document))	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/10/30 09:47
384	.2	(filename file-name (file document) adj1 (name id identification))) and nonce and (hash\$5 near5 ((filename file-name (file document) adj1 (name id identification))) and (secret key))) and ((transfer\$5 send\$5) near5 (hash))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 09:52
\$85	1	(filename file-name ((file document) adj 1 (name id identification))) and nonce and (hash\$5 near5 ((filename file-name (file document) adj 1 (name id identification))) and (secret key)) and ((transfer\$5 send\$5) near5 ((plain-text plain clear) near4 (file document)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2008/10/30 09:54
586	1	(filename file-name ((file document) adj 1 (name id identification))) and nonce and (hash\$5 near5 ((filename file-name (file document) adj 1 (name id identification))) and (secret key (random adj 1 (number string))))) and ((transfer\$5 send\$5) near5 ((plain-text plain clear) near4 (file document))	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/10/30 09:55

S87	1	(filename file-name (file document message) adj1 (name id identification)) and nonce and (hash85 near5 ((filename file-name (file document message) adj1 (name id identification))) and (secret key (random adj1 (number string))))) and ((transfer\$5 send\$5) near5 ((plain-text plain clear) near4 (file document message)))	US-PATE (EPO) USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/10/30 09:55
S88	14	(filename file-name ((file document message) adj1 (name id identification))) and nonce and (hash\$5 near5 ((filename file-name ((file document message) adj1 (name id identification))) and (secret key (random adj1 (number string)))))	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/10/30 09:57
S89	0	(filename file-name (file document message) adj1 (name id identification)) and nonce and (hash\$5 near\$ (filename file-name (file document message) adj1 (name id identification))) and (secret key (random adj1 (number string))))) and (repaly near² attack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 10:03
S90	8	(filename file-name ((file document message) adj i (name id identification)) and nonce and (hash\$5 near\$ ((filename file-name ((file document message) adj i (name id identification))) and (secret key (random adj i (number string))))) and (replay near² attack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 10:04
S91	855	(hash\$5 near5 ((filename file-name (file document message) adj1 (name id identification)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 10:55

S92	128	(hash\$5 near\$ ((filename file-name (file document message) adj1 (name id identification))))) and ((transfer\$5 send\$5) near\$ (filename file-name (file document message) adj1 (name id identification))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 10:57
S93	5	S92 and (nonce (random near2 (number string))) and (shar\$5 near5 (key secret))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 10:58
S94	11	S92 and (nonce (random near2 (number string))) and (shar\$5 near5 (file document message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 11:00
S95	6	S94 not S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 11:00
S96	43	S92 and (shar\$5 near5 (file document message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 11:01
S97	37	\$96 not \$95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 11:01
S98	32	S96 not S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 11:01
S99	0	"200300615003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 11:16
S100	2	"20030061503"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 11:17
S101	2	"20040039927"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 11:26

S102	2	"6816968" .pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 11:27
S103	2	"20040064694"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:06
S104	1	(HDCP with (encrypted adj1 (nonce "random number")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:13
S105	5	(HDCP with ((encrypt\$5 encipher\$5) near5 (nonce "random number")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:27
S106	54	((authentication near4 (protocol exchange)) with ((encrypt\$5 encipher\$5) near5 (nonce "random number")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:28
S107	27	((authentication near4 (protocol exchange)) with ((encrypted enciphered) near5 (nonce "random number")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:29
S108	8	((authentication near4 (protocol exchange)) with ((encrypted enciphered) adj1 (nonce "random number")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:29
S109	2	"20020169988"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 16:39
S110	2	"20030061503"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 12:31
S111	857	(hash\$5 near5 (filename file-name ((file document message) adj1 (name id identification))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/11/05 12:59

S112	2	\$111 and ((transfer\$5 send \$5) near5 ((clear unencrypted plain-text plaintext) near5 (file document message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 13:00
S113	88	S111 and ((clear unencrypted plain-text plaintext) near5 (file document message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 13:02
S114	86	S113 not S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 13:03
S115	63	S114 and ((transfer\$5 send \$5) near5 (file document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 13:52
S116	374	(hash\$5 near5 (filename (file adj1 (name id idnetification)))) and ((transfer\$5 send\$5) near5 (file document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 14:22
S117	414	(hash\$5 near5 (filename ((file document) adj1 (name id idnetification)))) and ((transfer\$5 send\$5) near5 (file document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 14:23
S118	35	((transfer\$5 send\$5) with (hash\$5 near5 (filename ((file document) adj1 (name id idnetification)))) and (file document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 14:24
S119	24	S118 and (request\$5 near5 (file document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 14:47
S120	16	S119 and (concatinat\$5 append\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 14:48
S121	71	((transfer\$5 send\$5) with ((hash\$5 digest checksum signature) near5 (filename ((file document) adj1 (name id idnetification)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 14:51

S122	44	S121 and (request\$5 near5 (file document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 14:51
S123	27	S122 and (concatinat\$5 append\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 14:51
S124	11	S123 not S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 14:51
S125	71	S121 not (S118 and S124)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 15:17

^{11/6/08 4:08:23} PM

C:\ Documents and Settings\ ASherkat\ My Documents\ EAST\ Workspaces\ 10510911.wsp